

CY 2023 Real World Testing Report for Patient First

Executive Summary

This is the test report for CY 2023 real world testing for Patient First certified EHR solution, PAS. This is the companion document to our CY 2023 real world test plan that described our approach for conducting real world testing in CY 2023 and the testing measures we employed.

Real world testing is critical for us as our PAS EHR is self-developed for our own clinics and clinicians. Our findings indicate that the PAS EHR is working as it was certified as no errors or non-compliances were observed. For each of our CY 2023 Real World Testing Measures, we have recorded our results and findings. If any non-conformities or errors were encountered, we noted them.

Our signed attestation of compliance with the real world testing requirements is on the following page.

Developer Attestation

This Real World Testing report is complete with all required elements. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name:

Darlene J. Scruggs

[SIGNATURE]

2/21/2024

DATE

Executive Summary.....	1
Developer Attestation.....	2
General Information	4
Timeline and Milestones for Real World Testing CY 2023.....	5
Standards Version Advancement Process (SVAP) Updates	6
RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent	7
RWT Measure #2. Number of C-CDAs Received and/or Incorporated.....	9
RWT Measure #3. Number of Electronic Prescriptions Messages Successfully Sent – Controlled and Non-controlled Substances.....	11
RWT Measure #4. Number of Patient Batch Exports Run	13
RWT Measure #5. Number of Quality Measures Successfully Reported on to CMS	15
RWT Measure #6. Number of Patients Who Accessed/Logged in to Portal	17
RWT Measure #7. Number of Immunization Messages Successfully Sent to IIS/Immunization Registries	19
RWT Measure #8. Number of Syndromic Surveillance Messages Sent.....	21
RWT Measure #9. Number of API Queries Made with Data Element Results Successfully Returned	23

General Information

Plan Report ID Number: PAS_RWT_2023

Developer Name: Patient First

Product Name(s): PAS

Version Numbers(s): 2015.0.0.1

Certified Health IT Criteria: 315(b)(1)-(3), (b)(6), (c)(1)-(3), (e)(1), (f)(1), (f)(2), (g)(7), (9)

Product List (CHPL) ID(s) and Link(s):

- 15.04.04.2140.PAS1.15.02.0.221212
- <https://chpl.healthit.gov/#/listing/11065>

Developer Real World Testing Page URL: <https://www.patientfirst.com/mandatory-disclosure-for-ehr>

Timeline and Milestones for Real World Testing CY 2023

- Milestone 1Q-2023: Begin communication with clients to ask for their support and participation in real world testing. The goal is to have a sufficient number of clients committed for real world testing by the end of 1Q-2023.
 - STATUS: MET
- Milestone 2Q-3Q 2023. During the 2nd and 3rd quarters of CY 2023, the real world testing with clients will be scheduled and performed. It is expected that a preparatory call will be done with clients to prepare them for testing activities. Results will be documented in the test results section of the test methods and ultimately used to build the test report. If any non-compliances are observed, we will notify the ONC-ACB of the findings and make the necessary changes required.
 - STATUS: MET
- Milestone 4Q-2023. During the last quarter of the year, the CY 2023 real world test plan will be completed according to ONC and ONC-ACB requirements and expectations. Test plan will be prepared for submission before the end of the year.
 - STATUS: MET
- Milestone 1Q-2024. Submit RWT Test Report to ONC-ACB.
 - STATUS: MET

Standards Version Advancement Process (SVAP) Updates

For CY 2023 RWT testing, we tested with USCDI v1.

Standard (and version)	USCDI v1
Updated certification criteria and associated product	315.b.1, b.2, b.6, e.1, g.9, g.10
Health IT Module CHPL ID	15.04.04.2140.PAS1.15.02.0.221212
Conformance measure	Measure 1 for 315.b.1 Measure 2 for 315.b.2 Measure 4 for 315.b.6 Measure 6 for 315.e.1 Measure 9 for 315.g.9

RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent

Associated Criteria: 315(b)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are created and successfully sent from the EHR Module to a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of C-CDA Successfully Sent

State	Result
VA	38,145
MD	33,068
PA	16,829
NJ	5,336

Analysis and Key Findings

Because of the nature of urgent care, our users need to generate many C-CDAs for transitions of care for patients back to their primary care providers or hospital centers. Our results reveal our EHR Module functionality is working as expected.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #2. Number of C-CDAs Received and/or Incorporated

Associated Criteria: 315(b)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are successfully received and/or incorporated upon receipt from a 3rd party via Direct messaging during a transition of care event over the course of a given time frame.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of C-CDA Successfully Received/Incorporated

State	Result
VA	60
MD	321
PA	-
NJ	-

Analysis and Key Findings

Because of the nature of urgent care, our patients typically cannot provide us with their primary care provider's C-CDAs so our numbers are much lower than the outbound C-CDA creation and exchange. Still, our users did receive some C-CDAs for incorporation, and our results reveal our EHR Module functionality is working as expected.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #3. Number of Electronic Prescriptions Messages Successfully Sent – Controlled and Non-controlled Substances

Associated Criteria: 315(b)(3)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many electronic prescriptions were created and successfully sent from the EHR Module to a pharmacy destination over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of Electronic Prescription Messages Sent

State	Result
VA	167,255
MD	109,983
PA	72,788
NJ	38,721

Analysis and Key Findings

Electronic prescribing is a popular feature, and it is widely used by all sites. RWT testing results reveals our EHR Module functionality is working as expected.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #4. Number of Patient Batch Exports Run

Associated Criteria: 315(b)(6)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many batch exports of C-CDAs were successfully performed by the EHR Module over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of C-CDA Batch Exports Sent

State	Result
VA	9
MD	4
PA	3
NJ	-

Analysis and Key Findings

While not every site uses the batch export functionality, we do have some which do, and it worked as certified.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #5. Number of Quality Measures Successfully Reported on to CMS

Associated Criteria: 315(c)(1)-(c)(3)

Testing Methodology: Reporting/Logging/Survey

Measurement Description

This measure is tracking and counting how many eCQM quality measures were successfully reported on by the EHR Module to CMS over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: CY 2023 Submission

Testing Metric/Measurement: Number of eQMs Calculated and Submitted to CMS

State	Result
VA	7
MD	7
PA	7
NJ	7

Analysis and Key Findings

Our results reveal our EHR Module functionality is working correctly as we reported no issues.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #6. Number of Patients Who Accessed/Logged in to Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients are successfully logged into and accessed their patient portal account over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of Patients Who Access or Logged into Patient Portal

State	Result
VA	8,976
MD	4,814
PA	1,774
NJ	643

Analysis and Key Findings

Our results reveal our patient portal is extremely popular and widely used.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #7. Number of Immunization Messages Successfully Sent to IIS/Immunization Registries

Associated Criteria: 315(f)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many immunization messages are created and successfully sent from the EHR Module to an IIS/immunization registry over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

State	Result
VA	8,174
MD	5,083
PA	2,903
NJ	74

Analysis and Key Findings

For practices connected to an immunization registry, they were able to share data with the registry. Once connectivity was established with the registry, functionality performed as certified.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #8. Number of Syndromic Surveillance Messages Sent

Associated Criteria: 315(f)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients syndromic surveillance messages were created and successfully sent from the EHR Module to a registry over the course of a given interval.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all of our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

Testing Metric/Measurement: Number of Patient Immunization History Queries

State	Result
VA	295,082
MD	482,752

Analysis and Key Findings

Because of the types of patient cases we treat at urgent care centers, syndromic surveillance messages are rather common. However, we only have results from two states as they were the only states which were accepting syndromic surveillance messages from our sites.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.

RWT Measure #9. Number of API Queries Made with Data Element Results Successfully Returned

Associated Criteria: 315(g)(7), (g)(9)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many successful API queries of patient data elements from the EHR Module to a 3rd party via API over the course of a given interval.

The interval for this measure will be three (3) months.

Care Settings and Number of Clients Site to Test

Patient First's PAS EHR was developed by Patient First for use exclusively in our own urgent care centers. We designed this measure to test our Patient First clinics treating both primary and urgent care. We captured results across all our practice sites and reported them according to their respect state of residence.

Testing Results

Reporting Interval: 3 months (Jan 1, 2023 through Mar 31, 2023)

All States	62
------------	----

Analysis and Key Findings

We had very few actual API queries last year. However, the functionality was working.

Non-Conformities or Errors Discovered

During our testing, we did not discover any errors or criteria non-conformities.

Changes for this Measure from Original RWT Test Plan

We did not make any notable changes from our documented RWT Test Plan in our testing methods or metrics.